

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	("3820460" "5813336" "6823787").PN.	US-PGPUB; USPAT	AND	ON	2009/11/10 13:41
S2	12957	print\$3 same sleeve	US-PGPUB; USPAT	AND	ON	2009/11/10 13:44
S3	2258223	incision or hole or cutout or cut adj out or cut-out or slot or void	US-PGPUB; USPAT	AND	ON	2009/11/10 13:47
S4	2211	S2 same S3	US-PGPUB; USPAT	AND	ON	2009/11/10 13:47
S5	57202	"101".clas.	US-PGPUB; USPAT	AND	ON	2009/11/10 13:49
S6	438	S4 S5	US-PGPUB; USPAT	AND	ON	2009/11/10 13:49
S7	797	print\$3 adj sleeve	US-PGPUB; USPAT	AND	ON	2009/11/10 13:55
S8	78	S7 same S3	US-PGPUB; USPAT	AND	ON	2009/11/10 13:56
S9	507	print\$3 same sleeve same expand \$4	US-PGPUB; USPAT	AND	ON	2009/11/10 14:13
S10	45812	print\$3 adj sleeve or pack\$3 adj sleeve or saddle	US-PGPUB; USPAT	AND	ON	2009/11/10 15:58
S11	2353339	incision or hole or cutout or cut adj out or cut-out or slot or void or slit	US-PGPUB; USPAT	AND	ON	2009/11/10 15:58
S12	12216	S10 near\$5 S11	US-PGPUB; USPAT	AND	ON	2009/11/10 15:58
S13	5014	S10 with S11	US-PGPUB; USPAT	AND	ON	2009/11/10 15:59
S14	1677	S10 with S11 and steel	US-PGPUB; USPAT	AND	ON	2009/11/10 15:59
S15	2	S10 with S11 and steel and offset adj press	US-PGPUB; USPAT	AND	ON	2009/11/10 16:00
S16	4506	(print\$3 adj sleeve or pack\$3 adj sleeve or saddle) (incision or hole or cutout or cut adj out or cut-out or slot or void or slit)	EPO; JPO; DERWENT	AND	ON	2009/11/10 16:08
S17	206	(print\$3 adj sleeve or pack\$3 adj sleeve or saddle) (incision or hole or cutout or cut adj out or cut-out or slot or void or slit) press	EPO; JPO; DERWENT	AND	ON	2009/11/10 16:09
S18	57	printing sleeve (incision or hole or cutout or cut adj out or cut-out or slot or void or slit) press	EPO; JPO; DERWENT	AND	ON	2009/11/10 16:11
S19	0	("2003205156").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/10 16:20

S20	1	("20030205156").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/10 16:21
S21	0	("2002002920").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/10 16:22
S22	1	("20020002920").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/10 16:22
S23	65	packing sleeve (incision or hole or cutout or cut adj out or cut-out or slot or void or slit) press	EPO; JPO; DERWENT	AND	ON	2009/11/10 16:39
S24	199	saddle (incision or hole or cutout or cut adj out or cut-out or slot or void or slit) press	EPO; JPO; DERWENT	AND	ON	2009/11/10 16:47
S25	1	("4327467").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/12 10:42
S26	1	("4155693").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/12 13:37
S27	992353	surface same (incision or hole or cutout or cut adj out or cut-out or slot or void)	US-PGPUB; USPAT	AND	ON	2009/11/12 14:01
S28	30120	(print\$3 or pack\$3) same sleeve	US-PGPUB; USPAT	AND	ON	2009/11/12 14:02
S29	10686	S27 S28	US-PGPUB; USPAT	AND	ON	2009/11/12 14:02
S30	2200	S27 S28	US-PGPUB; USPAT	SAME	ON	2009/11/12 14:03
S31	1041100	surface same (incision or hole or cutout or cut adj out or cut-out or slot or void or slit)	US-PGPUB; USPAT	AND	ON	2009/11/12 14:04
S32	2315	S31 S28	US-PGPUB; USPAT	SAME	ON	2009/11/12 14:05
S33	925	(packing or printing) adj sleeve	US-PGPUB; USPAT	SAME	ON	2009/11/12 14:46
S34	1242	(101/216).CQLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/12 14:53
S35	7296	(101/216-219,375-376,382.1,389.1,401.1).CQLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/12 15:13
S36	73600	((print\$3 or pack\$3) same sleeve) or saddle	US-PGPUB; USPAT	AND	ON	2009/11/12 15:14
S37	761	S35 S36	US-PGPUB; USPAT	AND	ON	2009/11/12 15:14
S38	1	("20080038493").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/13 14:48
S39	43811	(aluminum or steel) with ((packing or print\$3) adj sleeve) or saddle	US-PGPUB; USPAT	AND	ON	2009/11/13 15:19
S40	45	(aluminum or steel) with ((packing or print\$3) adj sleeve)	US-PGPUB; USPAT	AND	ON	2009/11/13 15:19
S41	1	("6823787").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/22 10:34
S42	7	"959314".ap.	US-PGPUB; USPAT	AND	ON	2009/12/22 10:54

S43	0	"959314".ap.	DERWENT	AND	ON	2009/12/22 10:55
S44	1	("6823787").PN.	DERWENT	OR	OFF	2009/12/22 10:55
S45	0	AU200045368\$.did.	US-PGPUB; USPAT	AND	ON	2009/12/22 10:57
S46	107	(aluminum or steel) same ((packing or print\$3) same sleeve) same (gap or recess)	US-PGPUB; USPAT	AND	ON	2010/07/30 21:11
S47	16	(aluminum or steel) same ((packing or print\$3) same sleeve) (leading with edge) same (gap or recess)	US-PGPUB; USPAT	AND	ON	2010/07/30 21:17
S48	22	metrope.in.	US-PGPUB; USPAT	AND	ON	2010/08/14 16:43
S49	11	slit with packing with sleeve	US-PGPUB; USPAT	AND	ON	2010/08/14 16:48
S50	68	slit same packing same sleeve	US-PGPUB; USPAT	AND	ON	2010/08/14 16:50
S51	80	slit print\$3 with cylinder with sleeve	US-PGPUB; USPAT	AND	ON	2010/08/14 16:54
S52	1	("5813336").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/08/14 16:57
S53	21	slit print\$3 with blanket with sleeve	US-PGPUB; USPAT	AND	ON	2010/08/14 16:58
S54	5207	(slit or gap) with sleeve with (blanket or form or forme or plate)	US-PGPUB; USPAT	AND	ON	2010/08/14 17:07
S55	79	(slit or gap) with sleeve with (blanket or form or forme or plate) with print\$3	US-PGPUB; USPAT	AND	ON	2010/08/14 17:07
S56	1	("4313378").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/08/14 17:23
S57	1	de-19918432-\$.did.	EPO; DERWENT	AND	ON	2010/08/14 17:25
S58	7	roland-fra\$.in.	EPO; DERWENT	AND	ON	2010/08/14 17:39
S59	426	(slit or gap) with sleeve with (blanket or form or forme or plate) with mount\$3	US-PGPUB; USPAT	AND	ON	2010/08/14 17:43
S60	669	(101/217).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/08/14 18:13
S61	495	(aluminum or steel) with (intermediate or packing) with sleeve	US-PGPUB; USPAT	AND	ON	2010/08/14 22:26
S62	1	ep-1177100-\$.did.	EPO; DERWENT	AND	ON	2010/08/25 14:15
S63	1	wo-0064675-\$.did.	EPO; DERWENT	AND	ON	2010/08/25 14:15
S64	29	printing with sleeve with air with cushion	US-PGPUB; USPAT	AND	ON	2010/08/26 10:28

S65	84	(intermediate or adapter) with sleeve with (air with pocket or porous)	US-PGPUB; USPAT	AND	ON	2010/08/26 10:47
S66	25	printing with sleeve with (air with pocket or porous)	US-PGPUB; USPAT	AND	ON	2010/08/26 10:52
S67	592	(intermediate or adapter) with sleeve with (aluminum or steel)	US-PGPUB; USPAT	AND	ON	2010/08/26 11:04
S68	46390	(compres\$5 or expand\$4) with (aluminum or steel)	US-PGPUB; USPAT	AND	ON	2010/08/26 11:13
S69	161	(compres\$5 or expand\$4) with (aluminum or steel) "101".clas.	US-PGPUB; USPAT	AND	ON	2010/08/26 11:14
S70	14792	(compres\$5 or expand\$4) with (aluminum or steel) weld\$3	US-PGPUB; USPAT	AND	ON	2010/08/26 13:11
S71	39	(compres\$5 or expand\$4) with (aluminum or steel) "101".clas. weld\$3	US-PGPUB; USPAT	AND	ON	2010/08/26 13:11
S72	143	aluminum with weld\$2 with (sleeve or blanket)	US-PGPUB; USPAT	AND	ON	2010/08/26 14:02
S73	2	ep-1375145\$.did.	EPO; DERWENT	AND	ON	2010/08/26 15:03
S74	4	("3820460" "5813336" "6823787").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2010/08/26 15:05
S75	244	van-der-meulen-\$.in.	US-PGPUB; USPAT	AND	ON	2010/08/26 15:59
S76	100	van-der-meulen-p\$.in.	US-PGPUB; USPAT	AND	ON	2010/08/26 16:04
S77	1	("4313378").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/08/26 16:19
S78	2438	(101/415.1).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/08/26 16:20
S79	382	(steel or aluminum) with (incision or cut) with compres\$5	US-PGPUB; USPAT	AND	ON	2010/09/08 12:33
S80	5002	(steel or aluminum) same (incision or cut) same compres\$5	US-PGPUB; USPAT	AND	ON	2010/09/08 12:36
S81	30203	(steel or aluminum) with compres \$5	US-PGPUB; USPAT	AND	ON	2010/09/08 12:43
S82	1336	(steel or aluminum) with compres \$5 with cylinder	US-PGPUB; USPAT	AND	ON	2010/09/08 12:43
S83	4	("3820460" "5813336" "6823787").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2010/09/08 13:01
S84	7381	(101/216-219,375-376,382.1,389.1,401.1).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/18 17:34
S85	1199	(101/375).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/18 17:36
S86	610	(101/376).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/18 17:55
S87	669	(101/217).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/18 18:02
S88	1262	(101/216).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/18 18:09

EAST Search History (I nterference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S89	0	(packing sleeve printing unit cylinder offset press outer lateral surface region slot inner continuous extending receiving edges plate-form blanket plurality incisions elasticity peripheral direction run parallel axis).clm.	US-PGPUB; USPAT; UPAD	AND	ON	2010/09/18 19:31
S90	0	(packing sleeve printing unit cylinder offset press outer lateral surface region slot inner plate-form blanket plurality incisions elasticity peripheral direction run parallel axis).clm.	US-PGPUB; USPAT; UPAD	AND	ON	2010/09/18 19:31
S91	0	(packing sleeve printing unit cylinder offset press outer lateral surface region slot inner plate-form blanket plurality incisions elasticity axis).clm.	US-PGPUB; USPAT; UPAD	AND	ON	2010/09/18 19:31
S92	0	(packing sleeve printing unit cylinder offset press outer lateral surface region slot inner plate-form blanket plurality incisions).clm.	US-PGPUB; USPAT; UPAD	AND	ON	2010/09/18 19:32
S93	0	(packing sleeve printing unit cylinder offset press slot inner plate-form blanket plurality incisions).clm.	US-PGPUB; USPAT; UPAD	AND	ON	2010/09/18 19:32
S94	1	(packing sleeve printing press slot surface incisions).clm.	US-PGPUB; USPAT; UPAD	AND	ON	2010/09/18 19:33
S95	1	(sleeve printing press slot surface incisions).clm.	US-PGPUB; USPAT; UPAD	AND	ON	2010/09/18 19:33
S96	101	(sleeve slot surface incisions).clm.	US-PGPUB; USPAT; UPAD	AND	ON	2010/09/18 19:34

9/ 18/ 2010 7:35:41 PM**C:\ Documents and Settings\ sfreeman\ My Documents\ EAST\ Workspaces\ 10594643.wsp**